

# BONDS YOU CAN TRUST



## **NEW-GENERATION ARALDITE® 2013-2 ADHESIVE**

Developed for high-strength in challenging environments — **formulated without intentionally added BPA and not subject to CMR labeling.**

**MADE POSSIBLE**

## NEW-GENERATION ARALDITE® 2013-2

# ENGINEERED FOR METAL BONDING. DEVELOPED FOR WORKER SAFETY.



SAFE



STRONG



COMPLIANT

When you need to bond metals and rigid materials in demanding environments, ARALDITE® 2013-2 can be relied upon.

Formulated without intentionally added BPA and not subject to CMR labeling, it ensures durable bonds, worker safety and regulatory compliance.

### TYPICAL PRODUCT BENEFITS

- Strong bonding of metals
- Good weathering and chemical resistance
- Suitable for vertical applications

### TYPICAL APPLICATIONS

- Metal and composite parts
- Assemblies in the aerospace and rail industries
- Multi-material bonding



### RECYCLED PLASTIC CARTRIDGES

- Reduce CO<sub>2</sub> emissions by up to 36%
- No change to your application process



No CMR. No BPA.  
Formulation

2-Component epoxy  
Technology

2 hrs  
Working time at RT

6 hrs  
Fixture time at RT

5 mm  
Gap-filling up to 5 mm

36 MPa  
Tensile strength

2,580 MPa  
Tensile modulus

ca. 2.6%  
Elongation at break

80°C  
Maximum continuous  
operating temperature\*

\* For the maximum continuous operating temperature, we consider the maximum temperature for which the residual lap shear strength is 1/3 of the lap shear strength at room temperature or the temperature for which the residual lap shear strength is 5 MPa.

Learn more on [www.huntsman.com](http://www.huntsman.com)

For any other information, please send an e-mail to [advancedmaterials@huntsman.com](mailto:advancedmaterials@huntsman.com)

Americas +1 888 564 9318 Europe, Middle East, Africa +41 61 299 1111 Asia Pacific & India +86 21 3357 6588



Registered for  
**REACH**

**Legal information** ARALDITE® is a registered trademark of Huntsman Corporation or an affiliate thereof in one or more, but not all, countries. Sales of the product described herein ("Product") are subject to the general terms and conditions of sale of either Huntsman Advanced Materials LLC, or its appropriate affiliate including without limitation Huntsman Advanced Materials (Europe) BVBA, Huntsman Advanced Materials Americas LLC, or Huntsman Advanced Materials (Hong Kong) Ltd. or Huntsman Advanced Materials (Guangdong) Ltd. ("Huntsman"). The following supersedes Buyer's documents. While the information and recommendations included in this publication are, to the best of Huntsman's knowledge, accurate as of the date of publication, NOTHING CONTAINED HEREIN IS TO BE CONSTRUED AS A REPRESENTATION OR WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT OF ANY INTELLECTUAL PROPERTY RIGHTS, OR WARRANTIES AS TO QUALITY OR CORRESPONDENCE WITH PRIOR DESCRIPTION OR SAMPLE, AND THE BUYER ASSUMES ALL RISK AND LIABILITY WHATSOEVER RESULTING FROM THE USE OF SUCH PRODUCT, WHETHER USED SINGLY OR IN COMBINATION WITH OTHER SUBSTANCES. No statements or recommendations made herein are to be construed as a representation about the suitability of any Product for the particular application of Buyer or user or as an inducement to infringe any patent or other intellectual property right. Data and results are based on controlled conditions and/or lab work. Buyer is responsible to determine the applicability of such information and recommendations and the suitability of any Product for its own particular purpose, and to ensure that its intended use of the Product does not infringe any intellectual property rights. The Product may be or become hazardous. Buyer should (i) obtain Material Safety Data Sheets and Technical Data Sheets from Huntsman containing detailed information on Product hazards and toxicity, together with proper shipping, handling and storage procedures for the Product, (ii) take all steps necessary to adequately inform, warn and familiarize its employees, agents, direct and indirect customers and contractors who may handle or be exposed to the Product of all hazards pertaining to and proper procedures for safe handling, use, storage, transportation and disposal of and exposure to the Product and (iii) comply with and ensure that its employees, agents, direct and indirect customers and contractors who may handle or be exposed to the Product comply with all safety information contained in the applicable Material Safety Data Sheets, Technical Data Sheets or other instructions provided by Huntsman and all applicable laws, regulations and standards relating to the handling, use, storage, distribution and disposal of and exposure to the Product. Please note that products may differ from country to country. If you have any queries, kindly contact your local Huntsman representative.