

Revision date 10-Feb-2023

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

BOSTIK BORN2BOND REPAIR ADHESIVE - Part A

Supercedes Date: 05-Feb-2020 Revision Number 3.03

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name BOSTIK BORN2BOND REPAIR ADHESIVE - Part A

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use This product is a cyanoacrylate-based adhesive

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)

NHS: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Specific target organ toxicity — single exposure	Category 3 - (H335)
Category 3 Respiratory irritation	·

2.2. Label elements

Contains ethyl-2-cyanoacrylate



United Kingdom - BE Page 1 / 12

BOSTIK BORN2BOND REPAIR ADHESIVE - Part A

Revision date 10-Feb-2023 Supercedes Date: 05-Feb-2020 **Revision Number** 3.03

Signal word

Warning

Hazard statements

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H335 - May cause respiratory irritation.

EU Specific Hazard Statements

EUH202 - Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children

Precautionary Statements - EU (§28, 1272/2008)

P264 - Wash face, hands and any exposed skin thoroughly after handling

P312 - Call a POISON CENTER or doctor if you feel unwell

P261 - Avoid breathing vapours

P280 - Wear protective gloves and eye/face protection

P337 + P313 - If eye irritation persists: Get medical advice/attention

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P501 - Dispose of contents/ container to an approved waste disposal plant

Additional information

This product is part of a kit. Please also refer to the SDS for the other component(s) of the kit.

2.3. Other hazards

Polymerises with evolution of heat. Will bond to skin. Bonds skin and eyes in seconds.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
ethyl-2-cyanoacrylate	(607-236-00- 9) 230-391-5	7085-85-0	80 - 100	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335)	STOT SE 3 :: C>=10%	01-2119527766- 29-XXXX
Hydroquinone	(604-005-00- 4) 204-617-8	123-31-9	0.01 - <0.1	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Muta. 2 (H341) Carc. 2 (H351) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	-	01-2119524016- 51-XXXX

United Kingdom - BE Page 2/12

BOSTIK BORN2BOND REPAIR ADHESIVE - Part A

Supercedes Date: 05-Feb-2020 Revision Number 3.03

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If irritation persists or eye and/or

skin remains bonded: Get medical advice/attention.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact If eyelids are bonded closed or if skin to skin or skin to clothing bonding has occurred,

release bonding by covering affected area with a pad wetted with warm water. Do not force eyes or any bonded skin apart. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists or eye and/or skin remains bonded: Get medical advice/attention. Do not rub

Revision date 10-Feb-2023

affected area. Get medical attention if irritation develops and persists.

Skin contact If eyelids are bonded closed or if skin to skin or skin to clothing bonding has occurred,

release bonding by covering affected area with a pad wetted with warm water. Do not force eyes or any bonded skin apart. Allow acetone or warm water to penetrate the bond and gently attempt to move bonded areas without pulling the skin away from bonded area. Do not remove clothing if adhering to skin. If irritation persists or eye and/or skin

remains bonded: Get medical advice/attention.

Ingestion Call a doctor or poison control centre immediately. Do NOT induce vomiting. Ensure

breathing passages are not obstructed. The product will polymerise immediately in the mouth making it almost impossible to swallow. Saliva will slowly separate the solidified product from the mouth (several hours). Rinse mouth. Never give anything by mouth to

an unconscious person.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section

8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Burning sensation.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the Thermal decomposition can lead to release of irritating gases and vapours.

chemical

United Kingdom - BE Page 3 / 12

BOSTIK BORN2BOND REPAIR ADHESIVE - Part A

Supercedes Date: 05-Feb-2020

Revision date 10-Feb-2023 Revision Number 3.03

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx).

5.3. Advice for firefighters

precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours or mists. Ensure adequate ventilation. Use personal protective Personal precautions

equipment as required. Avoid contact with skin, eyes or clothing. See section 8 for more

information. Evacuate personnel to safe areas.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil. Prevent

further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Methods for containment Do not use cloths for mopping up. Flood with water to complete polymerization and

scrape off floor.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Please also refer to the SDS for the other component(s) of the kit. This product is part of Advice on safe handling

a kit. Ensure adequate ventilation. Avoid breathing vapours or mists. Use personal

protection equipment. Avoid contact with skin, eyes or clothing.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

work. Take off contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Protect from moisture. Keep containers tightly closed in a dry, cool and well-ventilated **Storage Conditions**

place. Keep away from food, drink and animal feedingstuffs.

Recommended storage

temperature

For optimum shelf life store in original containers under refrigerated conditions at 2 - 8°C.

7.3. Specific end use(s)

Specific use(s)

This product is a cyanoacrylate-based adhesive.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

United Kingdom - BE Page 4 / 12

BOSTIK BORN2BOND REPAIR ADHESIVE - Part A

Supercedes Date: 05-Feb-2020

Revision date 10-Feb-2023 Revision Number 3.03

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	United Kingdom
ethyl-2-cyanoacrylate	-	STEL: 0.3 ppm
7085-85-0		STEL: 1.5 mg/m ³
Hydroquinone	-	TWA: 0.5 mg/m ³
123-31-9		STEL: 1.5 mg/m ³

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNI	EL)		
Hydroquinone (123-31-9)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Dermal	3.33 mg/kg bw/d	
worker Long term Systemic health effects	Inhalation	2.1 mg/m³	

Derived No Effect Level (DN	EL)		
Hydroquinone (123-31-9)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Dermal	1.66 mg/kg bw/d	
Consumer Long term Systemic health effects	Inhalation	1.05 mg/m³	
Consumer Long term Systemic health effects	Oral	0.6 mg/kg bw/d	

Predicted No Effect Concentration No information available. **(PNEC)**

Predicted No Effect Concentration (PNEC)	
Hydroquinone (123-31-9)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.57 μg/l
Freshwater - intermittent	1.34 µg/l
Marine water	0.057 μg/l
Freshwater sediment	0.0049 mg/kg dry weight
Marine sediment	0.00049 mg/kg dry weight
Soil	0.00064 mg/kg dry weight
Sewage treatment plant	0.71 mg/l

8.2. Exposure controls

United Kingdom - BE Page 5 / 12

BOSTIK BORN2BOND REPAIR ADHESIVE - Part A

Revision date 10-Feb-2023 Supercedes Date: 05-Feb-2020 Revision Number 3.03

Ensure adequate ventilation, especially in confined areas. Vapours/aerosols must be **Engineering controls**

exhausted directly at the point of origin.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166.

Hand protection Wear suitable gloves. Recommended Use:. Nitrile rubber. Glove thickness > 0.4 mm.

Polyethylene. Polypropylene. Glove thickness >= 0.15 mm. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time for the mentioned glove material is in general greater than 120 min. Gloves must conform to standard EN 374

Skin and body protection Wear suitable protective clothing.

Respiratory protection In case of inadequate ventilation wear respiratory protection. Wear a respirator

conforming to EN 140 with Type A/P2 filter or better.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid **Appearance** Liquid Colourless Colour

Odour Characteristic, Irritating, **Odour threshold** No information available

Remarks • Method Property Values

Melting point / freezing point No data available Initial boiling point and boiling >= 169 - 187 °C

range

Flammability Not applicable for liquids .

Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

103 °C Flash point Cleveland Open Cup

Autoignition temperature 421 °C

Decomposition temperature None known Reacts with water. pН

No data available pH (as aqueous solution) Kinematic viscosity No data available Dynamic viscosity No data available Reacts with water. Water solubility

Solubility(ies) No data available **Partition coefficient** No data available Vapour pressure No data available Relative density No data available **Bulk Density** No data available Density No data available No data available Relative vapour density

Particle characteristics

No information available **Particle Size Particle Size Distribution** No information available

9.2. Other information

Solid content (%) No information available

Directive 2004/42/EC on the limitation of emissions of **VOC** content 92 g/L

volatile organic compounds

Polymerisation can occur

9.2.1. Information with regards to physical hazard classes Not applicable

United Kingdom - BE Page 6/12

BOSTIK BORN2BOND REPAIR ADHESIVE - Part A

Revision date 10-Feb-2023 Supercedes Date: 05-Feb-2020 **Revision Number** 3.03

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Product cures with moisture.

10.2. Chemical stability

Stable under normal conditions. Stability

Explosion data

Sensitivity to mechanical

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Hazardous polymerisation Hazardous polymerisation may occur.

None.

10.4. Conditions to avoid

Conditions to avoid Protect from moisture.

10.5. Incompatible materials

Alcohols. Alkali. Amines. Water. Incompatible materials

10.6. Hazardous decomposition products

Hazardous decomposition

products

None under normal use conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Inhalation of vapours in high concentration may cause irritation of respiratory system.

Eye contact Causes serious eye irritation. Bonds skin and eyes in seconds.

Skin contact Causes skin irritation. Bonds skin and eyes in seconds.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Redness. May cause redness and tearing of the eyes. **Symptoms**

Acute toxicity

United Kingdom - BE Page 7/12

BOSTIK BORN2BOND REPAIR ADHESIVE - Part A

Supercedes Date: 05-Feb-2020

Revision date 10-Feb-2023 Revision Number 3.03

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Component Information

Chemical name	Oral LD50	Oral LD50 Dermal LD50	
ethyl-2-cyanoacrylate	>5000 mg/kg (Rattus) OECD	>2000 mg/Kg (Oryctolagus	<21.1 mg/L (Rattus) 1 h
	401	cuniculus) OECD 402	
Hydroquinone	390 mg/kg (Rattus)	= 74800 mg/kg (Oryctolagus	-
·		cuniculus)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Component Information Hydroquinone (123-31-9)

Method	Species	Results
OECD Test No. 476: In vitro Mammalian Cell	Mouse	Mutagenic
Gene Mutation Test		

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

Chemical name	European Union	
Hydroquinone	Muta. 2	

Carcinogenicity

Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component Information Hydroquinone (123-31-9)

Method	Species	Results
OECD Test No. 453: Combined Chronic	Rat	Limited evidence of a carcinogenic
Toxicity/Carcinogenicity Studies		effect

Chemical name	European Union
Hydroguinone	Carc. 2

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure May cause respiratory irritation.

STOT - repeated exposureBased on available data, the classification criteria are not met.

United Kingdom - BE Page 8/12

BOSTIK BORN2BOND REPAIR ADHESIVE - Part A

Revision date 10-Feb-2023 Supercedes Date: 05-Feb-2020 **Revision Number** 3.03

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No information available. **Endocrine disrupting properties**

11.2.2. Other information

Other adverse effects No information available.

Note: PC-ADH-8 Multi-component adhesives and sealants Please also refer to the SDS for the

other component(s) of the kit This product is part of a kit

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		microorganisms			(long-term)
ethyl-2-cyanoacrylate 7085-85-0	polymerizes	polymerizes	-	-		
Hydroquinone 123-31-9	EC50: =0.335mg/L	LC50 96 h = 0.044 mg/L	EC50 = 0.038 mg/L 15 min	EC50: =0.29mg/L (48h,	10	1
.200.0	(72h,	(Oncorhynchus	EC50 = 0.0382	Daphnia magna)		
	Pseudokirchneri ella subcapitata)	,	mg/L 30 min EC50 = 0.042			
			mg/L 5 min			
			EC50 = 23.75			
			mg/L 60 min			

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

on pondit in onitiation	
Chemical name	Partition coefficient
Hydroguinone	0.59

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT).

Chemical name	PBT and vPvB assessment
ethyl-2-cyanoacrylate	The substance is not PBT / vPvB PBT assessment does
	not apply
Hydroquinone	The substance is not PBT / vPvB PBT assessment does

United Kingdom - BE Page 9/12

BOSTIK BORN2BOND REPAIR ADHESIVE - Part A

Revision date 10-Feb-2023 Supercedes Date: 05-Feb-2020 **Revision Number** 3.03

not apply

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products

Dispose of contents/container in accordance with local, regional, national, and

international regulations as applicable.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

European Waste Catalogue 08 04 09* waste adhesives and sealants containing organic solvents or other dangerous

substances

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

Not regulated 14.1 UN number or ID number 14.2 Proper Shipping Name Not regulated Not regulated 14.3 Transport hazard class(es) 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable None

14.6 Special Provisions

14.1 UN number or ID number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated

14.5 Marine pollutant NP 14.6 Special Provisions

14.7 Maritime transport in bulk Not applicable

according to IMO instruments

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number UN3334

14.2 Proper Shipping Name Aviation regulated liquid, n.o.s (ethyl-2-cyanoacrylate)

14.3 Transport hazard class(es) 14.4 Packing group

Description UN3334, Aviation regulated liquid, n.o.s (ethyl-2-cyanoacrylate), 9, III

14.5 Environmental hazards Not applicable

14.6 Special Provisions A27 Limited quantity (LQ) 30 kg G **ERG Code** 9A

Section 15: REGULATORY INFORMATION

United Kingdom - BE Page 10/12

BOSTIK BORN2BOND REPAIR ADHESIVE - Part A

Supercedes Date: 05-Feb-2020

Revision date 10-Feb-2023 Revision Number 3.03

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eve damage

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

H341 - Suspected of causing genetic defects

H351 - Suspected of causing cancer

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

United Kingdom - BE Page 11 / 12

BOSTIK BORN2BOND REPAIR ADHESIVE - Part A

Revision date 10-Feb-2023 Supercedes Date: 05-Feb-2020 **Revision Number** 3.03

Legend

TWA TWA (time-weighted average) **STEL** STEL (Short Term Exposure Limit)

Ceiling Limit Value Ceiling Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

Specific target organ toxicity - Repeated exposure STOT RE Specific target organ toxicity - Single exposure STOT SE

European Waste Catalogue **EWC**

European Agreement concerning the International Carriage of Dangerous Goods by **ADR**

Road

IMDG International Maritime Dangerous Goods (IMDG) IATA International Air Transport Association (IATA)

Regulations concerning the International Transport of Dangerous Goods by Rail RID

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 10-Feb-2023

Indication of changes

Revision note SDS sections updated.

Training Advice When working with hazardous materials, regular training of operators is required by law

Further information No information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

United Kingdom - BE Page 12/12